	S7	- S6	SS	<u>-</u>	S3	SZ	# Ref
4191	375520	20744	4374149	44860	28	4	Hits
S6 and S7	(digital adj2 analog\$3) or (D adj2 A) or ("D/A")	S4 and S5	memory or rom or ram or database or (data adj base) or storage or SRAM or server	(@rlad<"20020617" or @ad<"20020617" or @ptad<"20020617") and (((electron\$6 or auto or automat\$6 or self) near2 (select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6)) with (filt\$6 or rece\$7 or tun\$4))	("3990027" "4122395" "4130804" "4270220").PN. OR ("4334323"). URPN.	"4334323".pn.	Search Query
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; USOCR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
OR	Q _R	O _R	O _R	O _R	OR.	OR.	Default Operator
NO	O _N	S _N	ON	ON	O _N	Š	Plurals
2006/07/10 13:27	2006/07/10 13:49	2006/07/10 13:23	2006/07/10 14:16	2006/10/27 15:13	2006/06/28 14:39	2006/07/11 09:05	Time Stamp

S15	S14	S13	S12	S11	S10	6S
510	2105	1838462	53701	146277	2606	2662
S12 and S14	S10 and S13	(record\$4 or stor\$4 or keep\$6 or maintain\$4 or sav\$4 or enter\$4 or regist\$4 or memorial\$5) near6 (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	(identif\$6 or ID or label\$4 or symbol\$4 or barcode or (bar adj code) or ((model or item or serial) adj (number or code)) or UPC or ISBN or address or IP or name or token) near5 (filt\$5 or tun\$4)	((digital adj2 analog\$3) or (D adj2 A) or ("D/A")) adj2 convert\$4	S9 and rece\$7	S8 and filt\$4
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
O _R	O _R	O _R	O _R	O _R	O _R	OR
Q.	Q	ON	ON	Q	. Q	Q.
2006/07/10 13:53	2006/07/10 13:53	2006/07/10 13:52	2006/07/10 14:10	2006/07/10 13:50	2006/07/10 13:28	2006/07/10 13:28

	מטו"ויוסד	1			
		DERWENT;			
OR ON		US-PGPUB; USPAT; EPO; JPO;	S20 and S21	31	S22
r; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	77, %	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	(select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6) near3 (filt\$6)	166209	S21
ON ON		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S18 and S19	4	S20
B, OR ON	~ in the contract of the contr	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	((electron\$6 or auto or automat\$6 or self) near2 (select\$5 or tun\$4 or adjust\$5 or compensat\$4 or offset\$4 or (off adj set\$4) or calibrat\$5 or align\$6)) with (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	26404	S19
); OR ON	m 4 6 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S16 and S17	257	S18
В; OR ON	α ` i · · · · · · · · · · · · · · · · · ·	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	(identif\$6 or ID or label\$4 or symbol\$4 or barcode or (bar adj code) or ((model or item or serial) adj (number or code)) or UPC or ISBN or address or IP or name or token) with (memory or rom or ram or database or (data adj base) or storage or SRAM or server)	670048	S17
); OR ON	m \(\frac{1}{2}\triangle \text{ \(\beta\)}{\(\beta\)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	S11 and S15	352	S16

S25	S24		S23
165	222		30
S24 and (@rlad<"20020617" or @ad<"20020617" or @ptad<"20020617")	(((barcode or (bar adj code)) near3 (identif\$4)).ti. or ((barcode or (bar adj code)) near3 (identif\$4)).ab.) and match\$3		30 S22 and (@rlad<"20020527" or @ad<"20020527" or @ptad<"20020527")
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB;
O _R	Q.		OR.
Q.	Q		9
2006/10/27 17:09	2006/10/27 17:09		2006/07/10 14:39